

Ritter Contact World
Leading the way in
functionality and design



Ritter Contact World

Your work unit



Your Contact World is a dental treatment unit that offers you complete flexibility when performing demanding dental treatments. It is carefully designed down to the smallest detail and is a true design classic.



Quality – Made in Germany

Anyone who works with a Ritter Contact World is well equipped for the challenges of everyday practice. The solid and well thought-out craftsmanship is based on our many years of experience. Ritter dental units are reliable, robust and durable. We use only the highest quality materials.

The Contact World is largely made of metal and painted throughout. Installation, service and maintenance are extremely simple thanks to easy access and clearly arranged components.

A treatment unit based on more than 130 years of experience, continuous product development and constant improvements.

Best of

Seating comfort in a league of excellence

The Ritter Contact World meets all requirements for optimized patient positioning during a treatment situation.

- Simultaneous movement (Trendelenburg) for control of backrest and seat
- Optimal, safe and comfortable positioning, even in demanding treatment situation
- Compact, space-saving design
- Seamless surfaces and upholstery for easy disinfection
- Flexible control via foot pedal and function display
- Chair height 35–85 cm
- Optional: right armrest movable

Highest seating comfort: Optional with special ViscoSoft cushion which shapes and adapts flexibly to the body.

Ritter Contact World

Functional all around

The Ritter dental unit is a high quality workstation where the working and reaching distances fit 100%. It offers maximum freedom for a natural, intuitive posture.


Efficient Workflow



Dimensions

The Contact World in all versions has the perfect dimensions, even for smaller practice spaces. With an operating radius of approx. 2x3 m, the slim unit adapts perfectly to any working environment. The Operating lights are mounted on the unit or alternatively available as a ceiling version.

Note: A total of 2 connection points (1 standard/1 alternative) provide additional flexibility to fit the unit in any treatment room.



Ritter Contact World

- Innovative instrument control with graphic display, numerous user settings settings and memory functions for perfect handling
- Easy, intuitive programming of chair positions, presets such as speed preselection and max. speeds of motors, turbines and ZEG
- Create up to 4 individual user levels e.g. for 4 different operators
- Sophisticated 4-pedal foot control with control of all main functions for quick and easy operation
- Hygienic and very easy to clean, smooth surfaces save time and effort
- Large knee and leg room for the operators allow ergonomic and fatigue-free operation

Professional elegance

The design concept and quality of Contact World are consistently geared to the highest demands of everyday practice.

With clarity and elegance, a perfect blend of utility, function and aesthetics has been created, making Ritter Contact World one of the most beautiful dental units on the market worldwide.




Ritter Contact World Dentist element versions

Contact World swing arm

A modern and timeless design language, smooth and easy to clean surfaces characterize the swing arm. The smooth-running, gas-pressure spring-supported swing arm is activated by movement. When the handle is released, the brake is activated and prevents unintentional movement of the dentist element.

All Ritter treatment units of the Contact series are available in the different versions S, H, C, HC to provide optimal support for every user in his working method.

Excellent handling



HC version Hanging hoses with cart head

The cartridge tray of the HC version with hanging tubes is more conventionally designed than that of the H version, with the tray directly above the instruments. The cart head can hold up to six instruments in any order, in any order, which are controlled by the foot pedal when in use.

H version Hanging hoses

In the H version, the dentist element on the floating arm is equipped with hanging tubes and a large tray support. The dentist element can be moved very close to the patient and enables optimum handling with a small working circle of the five instruments.

S version Swinging hoses

Each instrument can be easily and ergonomically removed and returned without effort. The proven swing-arm system minimizes contamination, as the tubes have no contact with the floor and thus slide cleanly into their resting positions.

Cart Version Standalone

The flexibility of the mobile cart standalone is undisputed: It can be moved freely around the entire treatment center and guarantees optimal freedom of movement, especially in narrow spaces.

The Cart Version can be perfectly combined with a large (unit-mounted) tray support. The cart is compatible with the most common treatment units and is independent of the patient chair manufacturer.

Ritter Contact World Control

Intraoral camera Precise images with Easy Touch

The optical system of the SOPRO 617 camera is equipped with an aspherical lens that minimizes distortion and produces geometrically correct images. Thanks to the large angle of view, even hard-to-reach regions of the mouth are perfectly displayed.

With the touch-sensitive button, you create snapshots without having to move the handpiece. This means you can always rely on sharp images.

Maximum Vision

- Bright, clear image in all conditions
- Plug & Play technology – install and work
- Integration via USB2 port
- AutoFocus function with maximum depth of field (5 mm to infinity)
- Max. Angle of view of 105° due to the curved shape and round headpiece
- Uniform illumination of the oral cavity, thanks to light and powerful LEDs (shadows and reflections kept to a minimum)
- Exceptionally high image quality, thanks to a lens that minimizes distortion
- Various integration options (table, wall version and on the dental unit)
- Illuminance: 2 lux (8 LEDs)

Contact World Function display

The clear and concise multifunction display allows easy chair and instrument control. The alphanumeric display shows the status of each instrument.

Speed, torque of turbines and motors, treatment positions of the patient chair as well as presets of up to four different operators can be freely programmed.

The Ritter control elements are highly resilient. The operating time and cost efficiency are enormous due to their simplicity.

Foot control

- Easy and comfortable operation
- Stable stand
- Transmission-safe operation due to the wired connection
- Individual control of the functions
- Perfect weight balance when shifting with the tip of the foot
- Material: metal and plastic

User-friendly and intuitive navigation

Simple and versatile

No multiple key assignment: the Ritter control system provides a separate key for each function. The result is very simple, intuitive control and operation of the functions. This direct and easy handling is particularly noticeable during demanding OP's and treatments.



Ritter Contact World Assistant element

Optimize your workflow.

Whether standing, sitting, at 12 o'clock – the freely position-able assistant element is there for you in every situation.

Perfect interaction

Two-part arm system


The 2-part instrument arm of the assistant element allows flexible positioning in any patient position and treatment situation.

All main functions of the dental unit can be controlled with the touch panel integrated with the surface of the articulated arm.

The ergonomic design of the suction handpieces enables fatigue-free treatment. The sophisticated and neat suspension effectively prevents the hoses from twisting.

Three-part arm system

Even more space-saving and flexible in positioning. Freely swiveling 3-joints bring more flexibility to the treatment. The slim assistant element controls Patient chair, operating light, suction, spray aspirator, cuspidor and cup filling..




Safety first

The Ritter Contact World was designed for fast and effective cleaning. All critical areas and components are easy to reach and disinfect.

The surfaces are smooth, without corners and edges and often removed with a flick of the wrist.

Hygiene made easy



Instrument cleaning support

The rinsing hood enables disinfection in a hygienic and simple way. The hood is placed on the cuspidor. Internal components are easily accessible.

Detachable and thermidisinfectable cuspidor

The ceramic cuspidor bowl is removable, so contaminated components can be quickly removed and disinfected.

In addition, the Contact World cuspidor is optionally available in a swiveling version.

Water bottle system

The bottle solution completely disinfects all internal water paths to the patient. The METASYS WEK internal disinfection system is available as an additional option.



Ritter Contact World From experts to experts

You want to treat in an ergonomically healthy posture?
Then the Contact World is the right dental unit for you.

A smart investment in your own health



Trust is purely in the mind.

- Flexible articulated headrest
- Quick and easy positioning with the left hand
- Comfortable positioning of the patient's head
- Optional double-jointed headrest, round headrest and child head wedge

Simply one-handed

Our headrests are completely easy to operate. With a single hand movement, extension and inclination are adjusted simultaneously.

During treatment, the headrest position can be re-adjusted with one hand without having to put down an instrument.



Stay relaxed

The headrest remains in the preset position when the height and tilt of the patient table are adjusted. The patient's head position does not need to be readjusted. The patient remains relaxed.

This allows the position to be changed more frequently without subjecting the spine to a critical continuous load that can cause muscle tension and fatigue.

Ritter Contact World Competence in terms of sitting, standing, lying down

The anatomically shaped seat surface, adjustable in inclination, enables back-friendly sitting and lying. The dental unit is designed to accommodate all sizes of patients.

The patient does not have to slide during the transition to the lying position and therefore does not interfere with the treatment process.

Ritter Accesories

Focus on quality



A long workday is comfortably mastered with good equipment. Accurate illumination of your patient is an essential requirement for this.



Optional protective cover with patient mirror.

Optimized workspace

Ritter SunLite LED with Sensor

Options

A fold-out mirror is available for the Ritter SunLite LED for better visual communication between dentist and patient and for treatment monitoring. This allows the patient to be actively involved in the procedures visible to him.

An optionally available polymerization protection reduces the light intensity and prevents polymerization.

CoreWhite is a bleaching system which can be easily attached to the handle holder of the SunLite via plug & play. The light intensity is freely adjustable. Special filters remove infrared rays at the light pattern.

Ritter SunLite LED with sensor

- Light intensity: 8.000 to 50.000 Lux
- Colour temperature: 4.200 to 6.000 Kelvin
- High CRI value for particularly powerful colour rendering
- Special colour temperature control system: Improves colour contrast on soft fabrics and increases visual clarity and detail recognition
- Low heat generation
- The 10 LED sources ensure uniform and shadow-free illumination. The absence of shadows is achieved through the overlapping of a hundred individual light fields
- working light field: 7x14 cm (at 70 cm distance)
- Handles are removable and sterilisable
- Lamp can be rotated freely through 180°

Ritter MoonLite LED with sensor

The optimised MoonLite convinces with a large field of light and an even, shadow-free illumination of the working area. The high light intensity of up to 50.000 Lux at a colour temperature of 5.000 Kelvin produces a natural light without colour distortions. The two handles can be removed, disinfected and autoclaved.

- Light intensity: 3.000 to 50.000 Lux
- Constant colour temperature of 5.000 Kelvin
- CRI >95, for improved colour and light perception
- Exact working light field: 20x10 cm (at 70 cm distance)
- 3-joint adjustability
- Brightness continuously adjustable
- Optional protective cover with patient mirror

Leadex70 – small X-ray unit

Directly on the treatment unit.

Microprocessor-controlled, pre-programmed or individually programmable exposure times. One touch of a button is all it takes to switch from conventional (X-ray film-based) to digital image acquisition using sensor technology. The unit is compatible with virtually all digital imaging systems.

- Easy to integrate
- Mounting on the unit, on the wall and on the ceiling possible
- For all requirements of intraoral dental radiology
- Flexible, fast and safe solution to produce an excellent small X-ray image directly at the treatment unit
- Compatible with standard films and digital X-ray sensors
- Sharp and high contrast images

Ritter Stools

Flexible around the clock

The Ritter work chairs support you optimally in every working posture. They adapt flexibly to your posture – whether through the comfortable seat cushion, the free tilt adjustment or the stepless height adjustment.

Good posture provides security

MobiloRest 156

- High quality synthetic leather, 100% vegan
- For the highest ergonomic requirements
- Intelligent and easy height adjustment by soft foot touch
- High quality dual castors
- Asymmetrical backrest with additional armrest function
- Very high grade metal components
- Optional left-handed 156L

MobiloRest 158

- High quality synthetic leather, 100% vegan
- For the highest ergonomic requirements
- Intelligent and easy height adjustment by soft foot touch
- High quality dual castors
- Symmetrical backrest
- Very high grade metal components
- Optional left-handed 158L


Technical data

- Chair surface material: Foam (PP-E), synthetic leather (PE), base plate (Plywood).
- Highest seat cushion: 490 mm
- Lowest seat cushion: 700 mm
- Maximum load: 135 Kg




Ritter Contact World


Everyone has their favourite colour




316 anthracite




270 black




1720 carbon




264 dental white




CS3 kiwi




1870 basalt




478 salmon orange




1840 cherry




817 berry




279 bordeaux




1900 orchid




815 chocolate




283 pastel blue




1890 saphire




278 saphire blue




*ED1 anthracite with dots



*ED2 black with dots



*ED3 green with dots



100% VEGAN

Upholstery colours

A variety of upholstery colors give your practice an individual touch. The vegan upholstery fabrics come standard with the breathable Ritter comfort fabric. The silky-soft feel and matte look convey a sense of cleanliness and freshness – without a „sticky feeling“.

Depictions may differ in color and texture from actual upholstery.
*Not available in ViscoSoft.

Special painting

Special painting of the entire unit as well as partial painting of water unit or cart are available in all RAL colors and metallic color

Standard paint color is RAL 9003/signal white



Ritter Contact World

Features and options

● Standard ○ Option

Patient chair	
Trendelenburg movement	●
Saving of positions	●
Safety switch	●
1 articulated headrest	●
2 articulated headrest	○
Children's head rest	○
Left armrest fix	●
Right armrest moveable	○
Seamless upholstery	●
ViscoSoft comfort upholstery	○
foot control pedal	●
Pilot foot control (joystick)	○
External device connection	○
Dentist element	
3F syringe TopFlex	○
3F syringe Luzzani	●
6F syringe Luzzani	○
1 st F.O. outlet with light	●
2 nd F.O. outlet with light	○
1 st motor SLM-E Type 810 Ritter brushless LED	●
2 nd motor SLM-E Type 810 Ritter brushless LED	○
Scaler Ritter S oder E LED	○
ACTEON scaler SP NEWTRON LED	○
EMS scaler PIEZON NO PAIN LED	○
Graphical display	●
Multifunction panel	●
Quick couplings for instrument hoses	○
4 user levels for instrument/chair function	●
Instrument heating	○
Small x-ray film viewer	●
Tray table (double tray support)*1	○
Double tray support for 2 trays*2	○
Lower double tray support for 2 trays*3	○
1 tray stainless steel	○
2 trays stainless steel	○
Silicone mat for 2 trays*4	○
Pneumatic brake for arm system	●
Assistant element	
Instrument cleaning support	○
3F syringe TopFlex	○
3F syringe Luzzani	○
Curing light LED	○
Two-part assistant arm with control panel	●
Three-part assistant arm with control panel	○
Selective controller for suction hoses	●
Water unit	
Detachable and thermoisinfectable cuspidor	●
Swivelling spittoon bowl	○
Instrument cleaning support	○
CAS 1 Combi-Separator Dürr	○
CS 1 Combi-Sepamatic Dürr	○
METASYS MST 1 amalgam separator	○
Water bottle system	●
METASYS WEK water decontamination system	○
Cup heating	○
Spittoon valve Dürr	●
Small x-ray equipment	
Leadex70 DC	○
Operating light	
Ritter CoolLite LED with sensor	●
Ritter SunLite LED with sensor	○
Stools	
Mobilorest 156	○
Mobilorest 156L	○
Mobilorest 158	○
Multimedia	
Monitor TFT 22" Neovo	○
Preparation for monitor TFT Vesa	○
Camera SOPRO 617	○
Set monitor TFT 22" and camera SOPRO 617	○

*1 for C version incl. 2 trays stainless steel
 *2 for S version without tray stainless steel
 *3 for S version without tray stainless steel, 10 cm lower
 *4 for C & HC version



Ritter worldwide – Technicians and spare parts service!

Ritter Concept GmbH
Freiburger Str. 45
88400 Biberach
Germany

Fon +49 (0) 7351 / 52 925-10
Fax +49 (0) 7351 / 52 925-11

sales@ritterconcept.com
www.ritterconcept.com

Your Ritter Partner: